

Quick Start: DataDirect Connect[®] for ODBC MySQL Wire Protocol Driver on UNIX

The following basic information enables you to connect with and test your driver immediately after installation. For installation instructions for DataDirect Connect for ODBC, please see the [DataDirect Connect and Connect XE for ODBC Installation Guide](#). The following command samples assume that the user is executing from within the Korn (ksh) shell.

Environment Setup

- 1 Check your permissions:** Log in as a user with full r/w/x permissions recursively on the entire DataDirect Connect for ODBC installation directory.
- 2 Determine which shell you are running:** From the login shell, execute the echo \$SHELL command.
- 3 Run the DataDirect Technologies setup script to set variables:** Two scripts, `odbc.csh` and `odbc.sh`, are installed in the installation directory. For Korn, Bourne, and equivalent shells, execute `odbc.sh`. For a C shell, execute `odbc.csh`. After running the setup script, execute the `env` command to verify that the `installation_directory/lib` directory has been added to your shared library path.
- 4 Set ODBCINI variable:** DataDirect Connect for ODBC installs a default `odbc.ini` file, where your data sources reside, in the installation directory. You must set the ODBCINI environment variable to point to the path of the `odbc.ini` file. For example:

```
$ ODBCINI= /opt/odbc/odbc.ini; export ODBCINI
```

Test Loading the Driver

The `ivtestlib` tool is a utility to verify that the driver can be loaded into memory; it is located in the `installation_directory/bin` directory. For example, to load the driver (where `xx` represents the driver level number and `nn` the extension), you would enter:

```
$ ivtestlib /opt/odbc/lib/ivmysqlxx.nn
```

If the load is successful, `ivtestlib` returns a success message along with the version string of the driver. If the driver cannot be loaded, `ivtestlib` returns an error message explaining why.

Connecting to a Database

After test loading the driver, you can connect from your application to your database.

Defining a Data Source in the `odbc.ini`

The default `odbc.ini` installed in the installation directory is a template into which you enter your site-specific database connection information using a text editor. The following sample shows the minimum connection string attributes you must enter for a test connection (where `xx` represents the driver level number and `nn` the extension). For example, you might enter:

```
[MySQL]
Driver=/opt/odbc/lib/ivmysqlxx.so
Description=connection to my accounting database
Database=MySQL3
HostName=MySQLHost
LogonID=JohnD
PortNumber=3306
```

Testing the Connection

The DataDirect Connect *for* ODBC installation includes a program named `example` that can be used to connect to a data source and execute SQL. The application is located in the `installation_directory/example` directory. To run the program, type `example` and follow the prompts to enter your data source name, user name, and password. If successful, a `SQL>` prompt appears and you can type in SQL Statements such as `Select * from <table_name>`. If `example` is unable to connect, the appropriate error message appears.

Tuning the Driver for Optimal Performance

To tune the driver for optimal performance, run the DataDirect Connect *for* ODBC Performance Wizard, which is installed along with the product and is also available from the DataDirect web site (http://www.datadirect.com/products/odbc/performance_tuning_wizard/index.ssp). The Wizard leads you step-by-step through a series of questions about your application. Based on your answers, the Wizard provides the optimal settings for performance-related connection attributes.

The Wizard runs as an applet within a browser window. To run the Wizard, one of the following browsers must be installed:

- Netscape 4.x or higher
- Firefox 1.0 or higher

To start the Wizard that was installed with the product, launch the following file from your browser, where `installation_directory` is your DataDirect Connect *for* ODBC installation directory:

```
installation_directory/wizards/index.html
```

NOTE: Security features set in your browser can prevent the Wizard from launching. A security warning message is displayed. Often, the warning message provides instructions for unblocking the Wizard for the current session. To allow the Wizard to launch without encountering a security warning message, the security settings in your browser can be modified. Check with your system administrator before disabling any security features.

© 2007. DataDirect Technologies Corp. All rights reserved.